

**Service d'Astrophysique**  
**SÉMINAIRE**

\*\*\*\*\*

**Mardi 10/03/2015, 10h00-11h00**

**CEA Saclay, Orme des Merisiers Bat 713, salle de séminaires Galilée**

**Hydrostatic Structure in the Interstellar Medium**

**Eric Keto**

CFA Harvard, USA et MPIA, Germany

Our best description of the interstellar medium is turbulent. However, unlike the familiar turbulence that we encounter on Earth, interstellar turbulence is modified by self-gravity which can either maintain clouds in approximate hydrostatic equilibrium or cause them to collapse into stars. In either case, clouds dominated by self-gravity separate out of the turbulent flow to become individual dynamical entities. These clouds control their own evolution and are no longer dominated by the inertial forces of the larger-scale turbulence. Observationally, we find quasi-hydrostatic clouds in regions with weaker turbulence such as low mass star forming regions, and clouds in near free-fall collapse in high-mass star-forming regions. But the interplay between turbulence and self-gravity is not well understood. Numerical hydrodynamic simulations of interstellar turbulence can easily create collapsing clouds, but have so far failed to produce quasi-hydrostatic clouds. For small clouds in low-mass star-forming regions, observers continue to find the hydrostatic models both uniquely predictive, these clouds cannot be described in any other way, and usefully predictive. After a brief review, I will describe some of our own recent research on the starless cores, clouds of a few solar masses, that are well described by hydrostatic models.

---

Le cafe sera servi 10 minutes avant

Contact : [pascale.chavegrand@cea.fr](mailto:pascale.chavegrand@cea.fr) - Tel : +33 1 69 08 78 27  
[http://irfu.cea.fr/Phocea/Vie\\_des\\_labos/Seminaires/index.php](http://irfu.cea.fr/Phocea/Vie_des_labos/Seminaires/index.php)